

ADAPTALITY CODES: <i>HAH-97010</i>	best-kept <i>747TK-97140</i> manual therapy	<i>E-97014</i> electric stim	US-97035
INTEGRAL <i>TRAX-97012</i> neck brace	<i>EXR-97110</i> therapeutic exercise, 15 min	<i>PP-97112</i> posture pump/ROM redistribution	
IBD-97313 activities of Daily Living	<i>THR-97330</i> therapeutic procedures		
EQUIPMENT CODES: <i>HLBDR-97430</i> modified LS brace	<i>ORT-97430</i> custom foot orthotics	<i>PULLOR-97490</i>	
KAM/ADJUSTMENT CODES: <i>INTL-97480</i> initial exam	<i>BEETVL-97510</i> review	<i>ADJ-97640</i> adjustment	01-99232
7-FC with <i>CROM-99801</i> cervical ROM	<i>LBOM-95801</i> lumbar ROM	<i>NIOGR-97700</i> up exam, 30 min	<i>MOJZA-92800</i> MCLJA

SCALAR CHIROPTIC TREATMENT RECORD

PATIENT NAME: Martha Adams DOB: 11/16/79
DATE: 4/13/17 SIGNATURE: [Signature] 99243

[illegible][illegible]

SUBJECTIVE		PAIN Reduction		Objective		PAIN		Treatment/Adjustment	
Service	10/10	H Ss Arm		Carded	A S E R	Referral		Occ	L R CTR
Therapeutic	10/10	Rob		U Theoretic	S S R R	Cerv exercises		Cen	L R CTR
Therapeutic	10/10	B. Thigh, Ad		L Theoretic	S S R R	Lumb exercises		U Theoretic	Cen
AS	10/10			L S	S S R R	Adv Pk wrapping		L Theoretic	L R CTR
Progress	10/10			Teal/Allegation	S S R R	Work read		L Theoretic	L R CTR
PT W	10/10				S S R R				
Doctor	10/10			CROWN WIND PAIN					
	10/10			LEON & WNL FAD					
	10/10			Other TX					

DATE: 10/10/10 SIGNATURE: [Signature] TX: [Signature]

[illegible][illegible]

PHYSICAL THERAPY NOTES
Westchester Medical Care, P.C.

Name: Adrian Fernald
Insurance: NEHC PVT LIEN OTHER: _____
Diagnosis: _____

Date of Accident: 7/11/08[illegible][illegible]

is Pt. C's (floating, dull aching, constant/intermittent, resting, localized pain, tenderness, stiffness, difficulty of movement) on _____ other: _____

C: tenderness, muscle spasm, swelling, redness, limitation of motion either _____ on _____
Cervical _____ Lumbar _____ Hip _____ Elbow _____ Knee _____ Wrist and Hand _____ Ankle and foot _____
Other findings: _____

A: _____ Identified treatment well _____ Other: _____
_____ Newly responding to treatment. _____
_____ No change in symptoms. _____

B: Continue treatment _____
_____ Referred therapy program _____
_____ Altered Head 7710 _____ Scheduled 5m, 7701, 4 _____
_____ Physical 7710 _____ Therapeutic exercises 7711, 6 _____
_____ French 1601 _____ Physical 7710, 6 _____ Therapeutic procedures 7730, 3 _____
_____ _____ _____ _____ _____

PHYSICAL THERAPIST _____ PATIENT'S SIGNATURE _____

[illegible][illegible]

UNCLASSIFIED TRAIL: 9-701, match 224, 246. EEE-9-710 (the openers, exercise 1) (mtr. PR-9-712, 9-713, 9-714, 9-715, 9-716, 9-717, 9-718, 9-719, 9-720, 9-721, 9-722, 9-723, 9-724, 9-725, 9-726, 9-727, 9-728, 9-729, 9-730, 9-731, 9-732, 9-733, 9-734, 9-735, 9-736, 9-737, 9-738, 9-739, 9-740, 9-741, 9-742, 9-743, 9-744, 9-745, 9-746, 9-747, 9-748, 9-749, 9-750, 9-751, 9-752, 9-753, 9-754, 9-755, 9-756, 9-757, 9-758, 9-759, 9-760, 9-761, 9-762, 9-763, 9-764, 9-765, 9-766, 9-767, 9-768, 9-769, 9-770, 9-771, 9-772, 9-773, 9-774, 9-775, 9-776, 9-777, 9-778, 9-779, 9-780, 9-781, 9-782, 9-783, 9-784, 9-785, 9-786, 9-787, 9-788, 9-789, 9-790, 9-791, 9-792, 9-793, 9-794, 9-795, 9-796, 9-797, 9-798, 9-799, 9-800, 9-801, 9-802, 9-803, 9-804, 9-805, 9-806, 9-807, 9-808, 9-809, 9-810, 9-811, 9-812, 9-813, 9-814, 9-815, 9-816, 9-817, 9-818, 9-819, 9-820, 9-821, 9-822, 9-823, 9-824, 9-825, 9-826, 9-827, 9-828, 9-829, 9-830, 9-831, 9-832, 9-833, 9-834, 9-835, 9-836, 9-837, 9-838, 9-839, 9-840, 9-841, 9-842, 9-843, 9-844, 9-845, 9-846, 9-847, 9-848, 9-849, 9-850, 9-851, 9-852, 9-853, 9-854, 9-855, 9-856, 9-857, 9-858, 9-859, 9-860, 9-861, 9-862, 9-863, 9-864, 9-865, 9-866, 9-867, 9-868, 9-869, 9-870, 9-871, 9-872, 9-873, 9-874, 9-875, 9-876, 9-877, 9-878, 9-879, 9-880, 9-881, 9-882, 9-883, 9-884, 9-885, 9-886, 9-887, 9-888, 9-889, 9-890, 9-891, 9-892, 9-893, 9-894, 9-895, 9-896, 9-897, 9-898, 9-899, 9-900, 9-901, 9-902, 9-903, 9-904, 9-905, 9-906, 9-907, 9-908, 9-909, 9-910, 9-911, 9-912, 9-913, 9-914, 9-915, 9-916, 9-917, 9-918, 9-919, 9-920, 9-921, 9-922, 9-923, 9-924, 9-925, 9-926, 9-927, 9-928, 9-929, 9-930, 9-931, 9-932, 9-933, 9-934, 9-935, 9-936, 9-937, 9-938, 9-939, 9-940, 9-941, 9-942, 9-943, 9-944, 9-945, 9-946, 9-947, 9-948, 9-949, 9-950, 9-951, 9-952, 9-953, 9-954, 9-955, 9-956, 9-957, 9-958, 9-959, 9-960, 9-961, 9-962, 9-963, 9-964, 9-965, 9-966, 9-967, 9-968, 9-969, 9-970, 9-971, 9-972, 9-973, 9-974, 9-975, 9-976, 9-977, 9-978, 9-979, 9-980, 9-981, 9-982, 9-983, 9-984, 9-985, 9-986, 9-987, 9-988, 9-989, 9-990, 9-991, 9-992, 9-993, 9-994, 9-995, 9-996, 9-997, 9-998, 9-999, 1000-1001, 1002-1003, 1004-1005, 1006-1007, 1008-1009, 1010-1011, 1012-1013, 1014-1015, 1016-1017, 1018-1019, 1020-1021, 1022-1023, 1024-1025, 1026-1027, 1028-1029, 1030-1031, 1032-1033, 1034-1035, 1036-1037, 1038-1039, 1040-1041, 1042-1043, 1044-1045, 1046-1047, 1048-1049, 1050-1051, 1052-1053, 1054-1055, 1056-1057, 1058-1059, 1060-1061, 1062-1063, 1064-1065, 1066-1067, 1068-1069, 1070-1071, 1072-1073, 1074-1075, 1076-1077, 1078-1079, 1080-1081, 1082-1083, 1084-1085, 1086-1087, 1088-1089, 1090-1091, 1092-1093, 1094-1095, 1096-1097, 1098-1099, 1100-1101, 1102-1103, 1104-1105, 1106-1107, 1108-1109, 1110-1111, 1112-1113, 1114-1115, 1116-1117, 1118-1119, 1120-1121, 1122-1123, 1124-1125, 1126-1127, 1128-1129, 1130-1131, 1132-1133, 1134-1135, 1136-1137, 1138-1139, 1140-1141, 1142-1143, 1144-1145, 1146-1147, 1148-1149, 1150-1151, 1152-1153, 1154-1155, 1156-1157, 1158-1159, 1160-1161, 1162-1163, 1164-1165, 1166-1167, 1168-1169, 1170-1171, 1172-1173, 1174-1175, 1176-1177, 1178-1179, 1180-1181, 1182-1183, 1184-1185, 1186-1187, 1188-1189, 1190-1191, 1192-1193, 1194-1195, 1196-1197, 1198-1199, 1200-1201, 1202-1203, 1204-1205, 1206-1207, 1208-1209, 1210-1211, 1212-1213, 1214-1215, 1216-1217, 1218-1219, 1220-1221, 1222-1223, 1224-1225, 1226-1227, 1228-1229, 1230-1231, 1232-1233, 1234-1235, 1236-1237, 1238-1239, 1240-1241, 1242-1243, 1244-1245, 1246-1247, 1248-1249, 1250-1251, 1252-1253, 1254-1255, 1256-1257, 1258-1259, 1260-1261, 1262-1263, 1264-1265, 1266-1267, 1268-1269, 1270-1271, 1272-1273, 1274-1275, 1276-1277, 1278-1279, 1280-1281, 1282-1283, 1284-1285, 1286-1287, 1288-1289, 1290-1291, 1292-1293, 1294-1295, 1296-1297, 1298-1299, 1300-1301, 1302-1303, 1304-1305, 1306-1307, 1308-1309, 1310-1311, 1312-1313, 1314-1315, 1316-1317, 1318-1319, 1320-1321, 1322-1323, 1324-1325, 1326-1327, 1328-1329, 1330-1331, 1332-1333, 1334-1335, 1336-1337, 1338-1339, 1340-1341, 1342-1343, 1344-1345, 1346-1347, 1348-1349, 1350-1351, 1352-1353, 1354-1355, 1356-1357, 1358-1359, 1360-1361, 1362-1363, 1364-1365, 1366-1367, 1368-

THIS IS YOUR RECEIPT. PLEASE RETAIN FOR YOUR TAX OR INSURANCE.

RxPrice:\$22.50

RECEIPT

MYRTLE PHARMACY INC.
444 MYRTLE AVE.
BROOKTOWN, NJ 17205
(718)293-4444

RC 1116634
ROMENA, ADONA
448 MYRTLE AVE
BROOKTOWN, NJ 11205
MEMBER9

File#0021/1407

CYCLOBENZAPRINE (YELLOW)
Qty=30
No Refills
No Authorization Required
DR.HERNANDEZ, ELIZER
A172453

50111-0634-00

JTE

**TAKE 1 TABLET THREE TIMES
A DAY AS NEEDED**

MAY CAUSE DROWSINESS
CYCLOBENZAPRINE (YELLOW) for FLEXERIL

Common Uses for this Medicine

How To Use This Medicine

Follow the directions for using this medicine provided by your doctor. THIS MEDICINE MAY BE TAKEN WITH FOOD if it upsets your stomach. STORE THIS MEDICINE at room temperature, away from heat and light. IF YOU MISS A DOSE OF THIS MEDICINE and you are using it regularly, take it as soon as possible, if it is almost time for your next dose, skip the missed dose and go back to your regular dosing schedule. Do not take 2 doses at once.

Do not use this tablet. Tablets This Mefen-Ph

Precautions While Taking This Medicine

THIS MEDICINE MAY CAUSE: drowsiness, dizziness, or blurred vision. Do not drive, operate machinery, or do anything else that could be dangerous until you know how you react to this medicine. THIS MEDICINE MAY ADD TO THE EFFECTS of other depressants or alcohol. AS your pharmacist tells you, you may have questions about which medicines are depressants. If you are taking DRUGS, including over-the-counter drugs, or if you are taking any medicine with alcohol, tell your pharmacist. USE SUGARCAUSE with caution, or with care, if you are taking any medicine with central nervous system depressants, such as sedatives, tranquilizers, or sleeping pills. DO NOT USE THIS MEDICINE longer than directed by your doctor. FOR WOMEN, IT IS UNKNOWN IF THIS MEDICINE IS PASSED IN breast milk. IF YOU ARE OR WILL BE BREAST-FEEDING, while you are using this medicine, check with your doctor or pharmacist to discuss the risks to your baby.

Possible Side Effects While Using This Medicine

SIDE EFFECTS: that may go away during treatment, include drowsiness, dizziness, lightheadedness, blurred vision, dry mouth, or unpleasant taste. If they continue or are bothersome, check with your doctor. If you notice other effects not listed above, contact your doctor, nurse, or pharmacist.

Before Using This Medicine

Some medical or medical conditions may interact with this medicine. **INFORM YOUR DOCTOR OR PHARMACIST** of all prescription and over-the-counter medicines that you are taking. **DO NOT TAKE THIS MEDICINE** if you are also taking a monoamine oxidase inhibitor (such as isocarboxazide, linezolid, moclobemide, phenelzine, procarbazine, safinamide, bupropion, or tranylcypromine), a tricyclic antidepressant (such as amitriptyline, doxepin, imipramine, nortriptyline, or trimipramine), a sedative (such as barbiturates, benzodiazepines, or other tranquilizers), a muscle relaxant (such as baclofen, carisoprodol, or cyclobenzaprine), a blood thinner (such as warfarin, certain salicylate medicines [such as carboxamphenicol], certain blood pressure medicines [such as clonidine, guanabenz, metoprolol, or labetalol], certain cardiac channel blockers [such as diltiazem or verapamil], certain antiulcer medicines [such as ranitidine or famotidine], certain antidiabetic agents [such as tolazamide, glimepiride, or glipizide], certain antihypertensives [such as lisinopril, fosinopril, or furosemide], or potassium-sparing diuretics [such as amiloride or spironolactone]), a narcotic pain medicine (such as codeine or morphine), phenothiazines [such as promethazine or thioridazine], antipsychotics (such as clozapine or phenothiazine), phenylalkylamines [such as pseudoephedrine or norethadrene], sympathomimetics [such as albuterol or pseudoephedrine], thyroid hormones (such as levothyroxine), cholinesterase inhibitors, cholinergics, digoxin, disopyramide, erythromycin, levodopa, lithium, mifepristone, oral contraceptives or hormonal, inform your doctor of any other medical conditions, allergies, pregnancy, or breast-feeding. **USE OF THIS MEDICINE IS NOT RECOMMENDED** if you have a history of heart problems [such as irregular heartbeat, heart attack, or congestive heart failure] or if you have too much thyroid hormone in your blood (hyperthyroidism). Contact your doctor or pharmacist if you have any questions or concerns about taking this medicine.

Overdose

If overdose is suspected, contact your local poison control center or emergency room immediately. Symptoms of overdose may include drowsiness, fast or irregular heartbeat, enlarged pupils, seizures, and loss of consciousness.

Additional Information

[illegible][illegible]

PRINTED ON-WEB STYLE A4 LABEL FORMS
Labels Manufactured By
Ex Systems, Inc. • 1-800-822-9142

[illegible]

MYRTLE PHARMACY INC.
 444-A MYRTLE AVE., BROOKLYN, NY 11205
 Phone: (718) 337-4444
 Fax: (718) 337-4444
 Rx: 116634
 FROMETA, ADONA (CC)
 TAKE 1 TABLET THREE TIMES
 A DAY AS NEEDED
 QTY: 30
 Withhold: 02/14/07
 MAY CAUSE DROWSINESS
 CYCLOBENZAPRINE (YELLOW) 10MG TAB for FLEXERIL
 DR. HERNANDEZ, EUGENIO DISP: 10 J2B SPTV: (PUVA)
 (P17) 405-5545
 No Refills

SHEETED DUD-WEB STYLE M4 LABEL FORMS
 Rx Systems, Inc. • 1-800-822-9142
 Labels Manufactured By
 MAY CAUSE
 DIZZINESS
 MAY CAUSE
 BLURRED VISION
 DO NOT TAKE ALCOHOL OR
 PRESCRIPTION DRUGS WITHOUT
 CONSULTING YOUR DOCTOR
 THE ABOVE MAY CAUSE
 BLURRED VISION
 DO NOT TAKE ALCOHOL OR
 PRESCRIPTION DRUGS WITHOUT
 CONSULTING YOUR DOCTOR
 MAY CAUSE DROWSINESS
 CYCLOBENZAPRINE (YELLOW) 10MG TAB for FLEXERIL
 DR. HERNANDEZ, EUGENIO DISP: 10 J2B SPTV: (PUVA)
 (P17) 405-5545
 No Refills

MYRTLE PHARMACY INC.
 444-A MYRTLE AVE., BROOKLYN, NY 11205
 Phone: (718) 337-4444
 Fax: (718) 337-4444
 Rx: 116634
 FROMETA, ADONA (CC)
 TAKE 1 TABLET THREE TIMES
 A DAY AS NEEDED
 QTY: 30
 Withhold: 02/14/07
 MAY CAUSE DROWSINESS
 CYCLOBENZAPRINE (YELLOW) 10MG TAB for FLEXERIL
 DR. HERNANDEZ, EUGENIO DISP: 10 J2B SPTV: (PUVA)
 (P17) 405-5545
 No Refills

SHEETED DUD-WEB STYLE M4 LABEL FORMS
 Rx Systems, Inc. • 1-800-822-9142
 Labels Manufactured By
 MAY CAUSE
 DIZZINESS
 MAY CAUSE
 BLURRED VISION
 DO NOT TAKE ALCOHOL OR
 PRESCRIPTION DRUGS WITHOUT
 CONSULTING YOUR DOCTOR
 THE ABOVE MAY CAUSE
 BLURRED VISION
 DO NOT TAKE ALCOHOL OR
 PRESCRIPTION DRUGS WITHOUT
 CONSULTING YOUR DOCTOR
 MAY CAUSE DROWSINESS
 CYCLOBENZAPRINE (YELLOW) 10MG TAB for FLEXERIL
 DR. HERNANDEZ, EUGENIO DISP: 10 J2B SPTV: (PUVA)
 (P17) 405-5545
 No Refills